

# EXHIBIT 1

# *Hawley's Condensed Chemical Dictionary*

*ELEVENTH EDITION*

*Revised by*

N. Irving Sax  
and

Richard J. Lewis, Sr.



VAN NOSTRAND REINHOLD COMPANY

New York

Copyright © 1987 by Van Nostrand Reinhold Company Inc.

Library of Congress Catalog Card Number: 86-23333  
ISBN: 0-442-28097-1

All rights reserved. Certain portions of this work copyright © 1930, 1920, 1919 by The Chemical Catalog Co., Inc. and 1981, 1977, 1971, 1966, 1956, 1950 by Van Nostrand Reinhold Company Inc. No part of this work covered by the copyright hereon may be reproduced or used in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems—without permission of the publisher.

Printed in the United States of America

Van Nostrand Reinhold Company Inc.  
115 Fifth Avenue  
New York, New York 10003

Van Nostrand Reinhold Company Limited  
Molly Millars Lane  
Wokingham, Berkshire RG11 2PY, England

Van Nostrand Reinhold  
480 Latrobe Street  
Melbourne, Victoria 3000, Australia

Macmillan of Canada  
Division of Canada Publishing Corporation  
164 Commander Boulevard  
Agincourt, Ontario M1S 3C7, Canada

15 14 13 12 11 10 9 8 7 6 5 4 3 2

#### Library of Congress Cataloging-in-Publication Data

Condensed chemical dictionary.  
Hawley's condensed chemical dictionary.

Rev. ed. of: The Condensed chemical dictionary.  
10th ed./rev. by Gessner G. Hawley, 1981.  
I. Chemistry—Dictionaries. I. Hawley, Gessner  
Goodrich, 1905— II. Sax, N. Irving (Newton Irving)  
III. Lewis, Richard J., Sr. IV. Title.  
QD5.C5 1987 540'.3'21 86-23333  
ISBN 0-442-28097-1

um phosphotungstate

noic acid, ammonium  
um salt).

c crystals. Mp 108C,  
n water, alcohol, and

dex.

mmonium meta-

: ammonium tung-

See zirconium ammo-

ite.  
H. Available in  
3 (24C). Stable up to  
nposes in dilute acids,

pellents for paper and  
er in latex emulsion  
wax to aid in resistance  
n fabrication of glass

ride. See mercury,

a series of quaternary  
atives in which the sub-  
benzyl, stearyl, lauryl,  
Some items are similar,  
pyridinium salts. These  
series are alkylamine

ents, emulsifiers, some  
ingicides, disinfectants,

high analysis ammo-  
n fertilizer.

egg laid by reptiles and  
yolk and a hard outer  
o from the dry environ-  
named for the amnion,  
mbryo.

oamylbarbituric acid).

illine powder; odorless  
56-161C, solutions are

acid to litmus. Very slightly soluble in water,  
soluble in alcohol.

Grade: USP.

Hazard: May be habit forming drug of abuse.

Use: Medicine also as sodium salt (hypnotic).

Amodiaquine hydrochloride.

$C_{20}H_{22}ON_2Cl \cdot 2HCl \cdot 2HOH$ .

Properties: Yellow, odorless, bitter, crystalline  
solid. Mp 150-160C (decomposes), soluble in wa-  
ter, sparingly soluble in alcohol, very slightly  
soluble in benzene, chloroform, and ether; pH  
(1% solution) 4.0-4.8.

Grade: NF.

Use: Medicine (antimalarial).

amorphous. Noncrystalline, having no molecular  
lattice structure which is characteristic of the  
solid state. All liquids are amorphous, some ma-  
terials that are apparently solid, such as glasses,  
or semisolid, such as some high polymers, rub-  
ber, and sulfur allotropes, also lack a definite  
crystal structure and a well-defined melting  
point. They are considered high-viscosity liquids.  
The cellulose molecule contains amorphous as  
well as crystalline areas. Carbon derived by ther-  
mal decomposition or partial combustion of coal,  
petroleum, and wood is amorphous (coke, carbon  
black, charcoal), though other forms (diamond,  
graphite) are crystalline. Amorphous metallic al-  
loys for use as transformer coils are made by  
extremely rapid cooling of the molten mixture.  
They are composed of iron, nickel, phosphorus,  
and boron.

See also liquid, liquid crystal, glass, metallic.

amosite. A type of asbestos.

See asbestos.

AMP. (1) Abbreviation for 2-amino-2-methyl-1-  
propanol. (2) Abbreviation for adenosine  
monophosphate.

See adenylic acid.

ASMP. Abbreviation for adenosine-5-monophos-  
phoric acid.

See adenylic acid (muscle adenylic acid).

"Ampco."<sup>TM407</sup> TM for a series of aluminum-iron-  
copper alloys containing 6-15% aluminum, 1.5-  
5.25% iron, balance copper. Resistant to fatigue,  
corrosion, erosion, wear, and cavitation-pit-  
ting.

Use: For bushings, bearings, gears, slides, etc.

"Ampcoloy."<sup>TM407</sup> TM for a series of industrial cop-  
per alloys including low iron-aluminum bronzes,  
nickel-aluminum bronzes, tin bronzes, manga-  
nese bronzes, lead bronzes, beryllium-copper and  
high-conductivity alloys.

"Ampco-Trode."<sup>TM407</sup> TM for a series of aluminum-  
bronze arc-welding electrodes and filler rod con-  
taining 9.0-15.0% aluminum, 1.0-5.0% iron bal-  
ance copper, for joining like or dissimilar metals  
and overlaying surfaces resistant to wear, corro-  
sion, erosion, and cavitation-pitting.

AMPD. Abbreviation for 2-amino-2-methyl-1,3-  
propanediol.

amphetamina. (1-phenyl-2-aminopropane;  
methylethylphenethylamine; "Benzedrine").

$C_9H_{11}CH_2CH(NH_2)CH_3$ .

Properties: Colorless, volatile liquid; characteristic  
strong odor and slightly burning taste; bp 200-  
203C (decomposes); flash p 80F (26.6C); soluble  
in alcohol and ether; slightly soluble in water.  
Grade: Dextro-, dextrolevo-. Also available as  
phosphate and sulfate.

Hazard: Flammable, moderate fire risk. Basis of  
a group of hallucinogenic (habit-forming) drugs  
which affect the central nervous system. Sale and  
use restricted to physicians. Production limited  
by law.

Use: Medicine.

amphibole. A type of asbestos.

See asbestos.

amphiphilic. A molecule having a water-soluble  
polar head (hydrophilic) and a water-insoluble  
organic "tail" (hydrophobic), e.g., octyl alcohol,  
sodium stearate. Such molecules are necessary  
for emulsion formation and for controlling the  
structure of liquid crystals.

See also emulsion, liquid crystal.

ampholyte. A substance that can ionize to form  
either anions or cations and thus may act as  
either an acid or a base. An ampholytic detergent  
is cationic in acid media and anionic in base  
media. Water is an ampholyte.

See also amphoteric.

amphora catalyst. See catalyst, amphora.

amphoteric. Having the capacity of behaving ei-  
ther as an acid or a base. Thus aluminum hydrox-  
ide neutralizes acids with the formation of alumi-  
num salts,  $Al(OH)_3 + 3HCl \rightarrow AlCl_3 + 3HOH$ ,  
and also dissolves in strongly basic solutions to  
form aluminates  $Al(OH)_3 + 3NaOH \rightarrow Na_3AlO_3$   
+  $3HOH$ . Amino acids and proteins are amphi-  
teric, i.e., their molecules contain both an acid  
group (COOH) and a basic group (NH<sub>2</sub>). Thus,  
wool can absorb both acidic and basic dyes.

amphotericin B. A polyene antifungal antibiotic.  
 $C_{47}H_{73}NO_{17}$ .

in water (17%), wholly ether. Combustible. Irritation, strong eye and skin risk. Precipitant, source of monomers, reagent.

molecule in which ether is connected by dimethylene to a centrally located oxygen atom of the ethers, is (electron donors). Such as complexing or chelating agents, silicon replaces the oxygen. They were so named because their models resemble a crown.

filler, usually calcium sulfide mixture thereof used in

optical.

sealed container having a layer of a refractory material, insulation and combustibles. Covered with a cover. A gooch is its base to permit filtration after its invention, and in the steel industry, a provided with a cavity in metal.

(4-tert-butyl-2-chloroimidate; 4-tert-butyl-2-ethyl phosphoramidate;

mp 291.71, mp 61°C, insoluble in alcohol, benzene, and commercial product is a

and antihelminthic.

factory crusher.

of the lithosphere, mafic rocks less dense than the rocks below.

of chemistry devoted to occurring at extremely low (and lower). It permits the study of matter that are too unstable at normal temperature.

behavior of matter at low temperature. The use of the lique-

fied gases, oxygen, nitrogen, and hydrogen at approximately -260°C is standard industrial practice. Examples: Use of liquid nitrogen for quick-freezing of foods and of liquid oxygen in steel production. Some electronic devices and specialized instruments, such as the cryogenic gyro, operate at liquid helium temperature (approximately 4K). Many lasers and computer circuits require low temperature. Original research in this field was carried out by W. F. Giauque in the US and by Kamerlingh-Onnes in Holland. See also superconductivity.

cryolite. (Greenland spar; icestone).

$\text{Na}_3\text{AlF}_6$ . A natural fluoride of sodium and aluminum or made synthetically from fluorspar, sulfuric acid, hydrated alumina and sodium carbonate.

Properties: Colorless to white, sometimes red, brown, or black; luster vitreous to greasy; hardness 2.5; d 2.95-3.0. Refr index 1.338, mp 1000°C, soluble in concentrated sulfuric acid and in fused aluminum and ferric salts.

Occurrence: Colorado, USSR; Greenland (only commercial source).

Derivation: Synthetic product is made by fusing NaF and aluminum fluoride.

Use: Electrolyte in the reduction of alumina to aluminum, ceramics, insecticide, binder for abrasives, electric insulation, explosives, polishes.

"Cryovac." TM for a light, shrink-film, transparent packaging material based on polyvinylidene chloride. Used especially for meats and other perishables.

cryptocyanine. (1,1'-diethyl-4,4'-carbocyanine iodide).  $\text{C}_{22}\text{H}_{22}\text{N}_2\text{I}$ .

Properties: Solid, mp 250.5°C.

Use: Organic dye soluble used as a chemical shutter in laser operation.

See also cyanine dye.

cryptostegia rubber. Rubber from leaves of *Cryptostegia grandiflora* and *C. madagascariensis*.

cryptoxanthin. (provitamin A; hydroxy- $\beta$ -carotene).  $\text{C}_{40}\text{H}_{56}\text{O}$ . A carotenoid pigment with vitamin A activity.

Properties: Garnet-red prisms with metallic luster; mp 170°C; soluble in chloroform, benzene, and pyridine; slightly soluble in alcohol and methanol.

Occurrence: In many plants, egg yolk, butter, blood serum. Can be made synthetically.

Use: Nutrition, medicine.

crystal. The normal form of the solid state of matter. Crystals have characteristic shapes and

cleavage planes due to the arrangement of their atoms, ions, or molecules, which comprise a definite pattern called a lattice. Crystals may be face-centered, body-centered, cubic, orthorhombic, monoclinic, prismatic, etc. They have flat surfaces, sharp edges, and a definite angle between a given pair of surfaces. The form of a crystal is called its "habit." One of the most important features of a crystal is its optical properties, chief of which is its index of refraction, i.e., the extent to which a beam of light is deflected on passing through the crystal. Depending on the manner of light transmission, a crystal may be isotropic or anisotropic. Anisotropic crystals can polarize light (see also optical isomerism, optical rotation). Crystals also have electrical and magnetic properties now being used in computers and other electronic devices. Crystals are almost always imperfect and contain impurities (atoms of other elements). These are utilized in semiconductors. For methods of growing crystals, see nucleation.

Single crystals are used in masers, lasers, semiconductors, miniaturized components, computer memory systems, and as "whiskers." Many metals are now available in large, single crystalline form and such natural crystals as ruby, garnet, sapphire, etc., are used in these applications. See also crystallization, nucleation, liquid crystals, hole, vacancy.

crystalline rocks.

Igneous or metamorphic rocks.

crystal liquid. See liquid crystal.

crystallite. That portion of a crystal whose constituent atoms, ions, or molecules form a perfect lattice, without strains or other imperfections. Single crystals may be quite large, but crystallites are usually in the microscopic range.

See also crystal.

crystallization. The phenomenon of crystalline formation by nucleation and accretion. The freezing of water into ice is one of the commonest examples of crystallization in nature. Industrially, it is used as a means of purifying materials by evaporation and solidification. The sugar of commerce is made in this way. Similarly, salt cake is derived from crystallization of natural brines (Searles Lake). Nucleated crystallization is also used to form polycrystalline ceramic structures.

See also crystal.

crystals of Venus. See copper acetate.

crystallography. The study of the crystal formation of solids, including x-ray determination of

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**